# AUTHOR INDEX

## Volume 85


ABU-AMARAH I. *see* SMITH F. G., BASATI R., SENER A. & ABU-AMARAH I. Renin and heart rate responses to haemorrhage are age dependent in conscious lambs 287

ADAM C., LLORENS A., BAROUKH B., CHERRUAU M. & SAFFAR J. L. Effects of capsaicin-induced sensory denervation on osteoclastic resorption in adult rats 61

AGBULUT O. *see* NOIREZ P., AGBULUT O. & FERRY A. Differential modification of myosin heavy chain expression by tenotomy in regenerating fast and slow muscles of the rat 187

AGUAYO C. & SOBREVIA L. Nitric oxide, cGMP and cAMP modulate nitrobenzylthioinosine-sensitive adenosine transport in human umbilical artery smooth muscle cells from subjects with gestational diabetes 399

AGUILERA G. & RABADAN-DIEHL C. Regulation of vasopressin $V_{1b}$ receptors in the anterior pituitary gland of the rat 195

AGUZZI A. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

ALI A. M., ROSSOUW H. C., SILOVE M. & VAN DER WALT J. G. Development of an improved technique for the perfusion of the isolated caudal lobe of sheep liver 469

ALLIOUI E. M. *see* HAOUZI P., ALLIOUI E. M., GILLE J. P., BEDEZ Y., TOUSSEUL B. & CHALON B. Stimulation of ventilation by normobaric hyperoxia in exercising dogs 829

AMARA C. E., KOVAL J. J., JOHNSON P. J., PATERSON D. H., WINTER E. M. & CUNNINGHAM D. A. Modelling the influence of fat-free mass and physical activity on the decline in maximal oxygen uptake with age in older humans 877

ANDERSON L. C. *see* CARPENTER G. H., PROCTOR G. B., ANDERSON L. C., ZHANG X. S. & GARRETT J. R. Immunoglobulin A secretion into saliva during dual sympathetic and parasympathetic nerve stimulation of rat submandibular glands 281

ANDERSON L. C. *see* PROCTOR, G. B., CARPENTER G. H., ANDERSON L. C. & GARRETT J. R. Nerve-evoked secretion of immunoglobulin A in relation to other proteins by parotid glands in anaesthetized rat 511

ARHAN P. *see* VAGHEFI N., NEDJAOUM F., GUILLOCHON D., BUREAU F., ARHAN P. & BOUGLÉ D. Influence of the extent of haemoglobin hydrolysis on the digestive absorption of haem iron in the rat. An *in vitro* study 379

AUSTIN C. *see* OTTER D. & AUSTIN C. Simultaneous monitoring of vascular contractility, intracellular pH and intracellular calcium in isolated rat mesenteric arteries; effects of weak bases 349

BADAVI M., KHOSHBATEN A. & HAJIZADEH S. Decreased response of rat knee joint blood vessels to phenylephrine in chronic inflammation: involvement of nitric oxide 49

BADER M., BOHNEMEIER H., ZOLLMANN F. S., LOCKLEY-JONES O. E. & GANTEN D. Transgenic animals in cardiovascular disease research 713

BĄDZYŃSKA B. *see* DOBROWOLSKI L., BĄDZYŃSKA B. & SADOWSKI J. Differential effect of frusemide on renal medullary and cortical blood flow in the anaesthetised rat 783

BALDING L. C. *see* BURRELL L. M., RISVANIS J., JOHNSTON C. I., NAITOH M. & BALDING L. C. Vasopressin receptor antagonism – a therapeutic option in heart failure and hypertension 259*S*

BALLING R. *see* RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

BANKIR L. & TRINH-TRANG-TAN M.-M. Renal urea transporters. Direct and indirect regulation by vasopressin 243*S*

BAROUKH B. *see* ADAM C., LLORENS A., BAROUKH B., CHERRUAU M. & SAFFAR J. L. Effects of capsaicin-induced sensory denervation on osteoclastic resorption in adult rats 61

BARSTOW T. J., JONES A. M., NGUYEN P. H. & CASABURI R. Influence of muscle fibre type and fitness on the oxygen uptake/power output slope during incremental exercise in humans 109

BARTHA J. *see* TOST H., HABLY C., LENGYEL M., GÖGL A., LENDVAI A. & BARTHA J. Effect of nitric oxide synthase inhibition on renal circulation and excretory function in anaesthetized rats 791

BASATI R. *see* SMITH F. G., BASATI R., SENER A. & ABU-AMARAH I. Renin and heart rate responses to haemorrhage are age dependent in conscious lambs 287

BATHGATE R. A. D. *see* PARRY L. J. & BATHGATE R. A. D. The role of oxytocin and regulation of uterine oxytocin receptors in pregnant marsupials 91*S*

BATTAGLIA A. *see* MOLINARI C., BATTAGLIA A., BONA G., GROSSINI E., MARY D. A. S. G. & VACCA G. The role of nitric oxide in the coronary vasoconstriction caused by growth hormone in anaesthetized pigs 203

BEDEZ Y. *see* HAOUZI P., ALLIOUI E. M., GILLE J. P., BEDEZ Y., TOUSSEUL B. & CHALON B. Stimulation of ventilation by normobaric hyperoxia in exercising dogs 829

BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

BEITH I. D. *see* MYRIKNAS S. E., BEITH I. D. & HARRISON P. J. Stretch reflexes in the rectus abdominis muscle in man 445

BERGER C. E. M. & DATTA H. K. Forskolin has a bimodal cAMP-independent effect on superoxide anion generation in rat isolated osteoclasts 57

BIRD J. A. *see* GATE J. J., CLARKE L., BIRD J. A., LOMAX M. A. & SYMONDS M. E. Effect of feeding level and thyroxine on adipose tissue development and growth in postnatal lambs 439

BODEN A. G., HARRIS M. C. & PARKES M. J. A respiratory drive in addition to the increase in $CO_2$ production at raised body temperature in rats 309

BODEN A. G., HARRIS M. C. & PARKES M. J. The preoptic area in the hypothalamus is the source of the additional respiratory drive at raised body temperature in anaesthetised rats 527

BOHNEMEIER H. *see* BADER M., BOHNEMEIER H., ZOLLMANN F. S., LOCKLEY-JONES O. E. & GANTEN D. Transgenic animals in cardiovascular disease research 713

BONA G. *see* MOLINARI C., BATTAGLIA A., BONA G., GROSSINI E., MARY D. A. S. G. & VACCA G. The role of nitric oxide in the coronary vasoconstriction caused by growth hormone in anaesthetized pigs 203

BOOBIS L. *see* TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. Carbohydrate ingestion prior to exercise augments the exercise-induced activation of the pyruvate dehydrogenase complex in human skeletal muscle 581

BOSONE D. *see* ROATTA S., RONCARI S., MICIELI G., BOSONE D. & PASSATORE M. Doppler sonography to monitor flow in different cerebral arteries in the rabbit 431

BOUGLÉ D. *see* VAGHEFI N., NEDJAOUM F., GUILLOCHON D., BUREAU F., ARHAN P. & BOUGLÉ D. Influence of the extent of haemoglobin hydrolysis on the digestive absorption of haem iron in the rat. An *in vitro* study 379

BOYETT M. R. *see* SHUI Z. & BOYETT M. R. A novel background potassium channel in rat atrial cells 355

BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

BREM G. *see* WOLF E., SCHERNTHANER W., ZAKHARTCHENKO V., PRELLE K., STOJKOVIC M. & BREM G. Transgenic technology in farm animals – progress and perspectives 615

BRETTE F. *see* HONGO K., BRETTE F., HAROON M. M. & WHITE E. Mechanisms associated with the negative inotropic effect of deuterium oxide in single rat ventricular myocytes 133

BROCKBANK C. L., CHATTERJEE F., BRUCE S. A. & WOLEDGE R. C. Heart rate and its variability change after the menopause 327

BROLET P. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

BROWN H. F. *see* LEI M., BROWN H. F. & TERRAR D. A. Modulation of delayed rectifier potassium current, $i_K$, by isoprenaline in rabbit isolated pacemaker cells 27

BRUCE S. A. *see* BROCKBANK C. L., CHATTERJEE F., BRUCE S. A. & WOLEDGE R. C. Heart rate and its variability change after the menopause 327

BRYANT S. M. *see* WAN X., BRYANT S. M. & HART G. The effects of $[K^+]_o$ on regional differences in electrical characteristics of ventricular myocytes in guinea-pig 769

BUCHANAN K. J. *see* MCCULLOCH K. M., KEMPSILL F. E. J., BUCHANAN K. J. & GURNEY A. M. Regional distribution of potassium currents in the rabbit pulmonary arterial circulation 487

BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. Erratum: Experimental Physiology (2000) 85, 125–131. 353

BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. The effect of carbachol and α-bungarotoxin on the frequency of miniature endplate potentials at the frog neuromuscular junction 125

BURATTINI R. *see* NATALUCCI S., RUGGERI P., COGO C. E., PICCHIO V. & BURATTINI R. Insulin sensitivity and glucose effectiveness estimated by the minimal model technique in spontaneously hypertensive and normal rats 775

BUREAU F. *see* VAGHEFI N., NEDJAOUM F., GUILLOCHON D., BUREAU F., ARHAN P. & BOUGLÉ D. Influence of the extent of haemoglobin hydrolysis on the digestive absorption of haem iron in the rat. An *in vitro* study 379

BURGER K. *see* GIMPL G., BURGER K., POLITOWSKA E., CIARKOWSKI J. & FAHRENHOLZ F. Oxytocin receptors and cholesterol: interaction and regulation 41*S*

BURRELL L. M., RISVANIS J., JOHNSTON C. I., NAITOH M. & BALDING L. C. Vasopressin receptor antagonism – a therapeutic option in heart failure and hypertension 259*S*

BÜRKI K. *see* GASSMANN M., RÜLICKE T., LEDERMANN B. & BÜRKI K. Transgenesis at the Millennium 587

CAREW M. A. & THORN P. Carbachol-stimulated chloride secretion in mouse colon: evidence of a role for autocrine prostaglandin $E_2$ release 67

CARPENTER G. H., PROCTOR G. B., ANDERSON L. C., ZHANG X. S. & GARRETT J. R. Immunoglobulin A secretion into saliva during dual sympathetic and parasympathetic nerve stimulation of rat submandibular glands 281

CARPENTER G. H. *see* PROCTOR, G. B., CARPENTER G. H., ANDERSON L. C. & GARRETT J. R. Nerve-evoked secretion of immunoglobulin A in relation to other proteins by parotid glands in anaesthetized rat 511

CASABURI R. *see* BARSTOW T. J., JONES A. M., NGUYEN P. H. & CASABURI R. Influence of muscle fibre type and fitness on the oxygen uptake/power output slope during incremental exercise in humans 109

CERMAK R., VUJICIC Z., KUHN G. & WOLFFRAM S. The secretory response of the rat colon to the flavonol quercetin is dependent on $Ca^{2+}$–calmodulin 255

CHALON B. *see* HAOUZI P., ALLIOUI E. M., GILLE J. P., BEDEZ Y., TOUSSEUL B. & CHALON B. Stimulation of ventilation by normobaric hyperoxia in exercising dogs 829

CHAMBERS P. *see* HARDY L. A., HARVEY I. J., CHAMBERS P. & GILLESPIE J. I. A putative alternatively spliced variant of the $P2X_1$ purinoceptor in human bladder 461

CHAN W. Y., WO N. C., STOEV S., CHENG L. L. & MANNING M. Discovery and design of novel and selective vasopressin and oxytocin agonists and antagonists: the role of bioassays 7*S*

CHATTERJEE F. *see* BROCKBANK C. L., CHATTERJEE F., BRUCE S. A. & WOLEDGE R. C. Heart rate and its variability change after the menopause 327

CHENG L. L. *see* CHAN W. Y., WO N. C., STOEV S., CHENG L. L. & MANNING M. Discovery and design of novel and selective vasopressin and oxytocin agonists and antagonists: the role of bioassays 7*S*

CHERRUAU M. *see* ADAM C., LLORENS A., BAROUKH B., CHERRUAU M. & SAFFAR J. L. Effects of capsaicin-induced sensory denervation on osteoclastic resorption in adult rats 61

CHINI B. & FANELLI F. Molecular basis of ligand binding and receptor activation in the oxytocin and vasopressin receptor family 59*S*

CHOATE J. K., KATO K. & MOHAN R. M. Exercise training enhances relaxation of the isolated guinea-pig saphenous artery in response to acetylcholine 103

CHRISTIAN H. *see* MORRIS J. F., CHRISTIAN H., MA D. & WANG H. Dendritic secretion of peptides from hypothalamic magnocellular neurosecretory neurones: a local dynamic control system and its functions 131*S*

CHURCH M. K. *see* KATUGAMPOLA R., CHURCH M. K. & CLOUGH G. F. The neurogenic vasodilator response to endothelin-1: a study in human skin *in vivo* 839

CIARKOWSKI J. *see* GIMPL G., BURGER K., POLITOWSKA E., CIARKOWSKI J. & FAHRENHOLZ F. Oxytocin receptors and cholesterol: interaction and regulation 41*S*

CLAR C., DORRINGTON K. L., FATEMIAN M. & ROBBINS P. A. Cardiovascular effects of 8 h of isocapnic hypoxia with and without $\beta$-blockade in humans 557

CLARKE L. *see* GATE J. J., CLARKE L., BIRD J. A., LOMAX M. A. & SYMONDS M. E. Effect of feeding level and thyroxine on adipose tissue development and growth in postnatal lambs 439

CLOUGH G. F. *see* KATUGAMPOLA R., CHURCH M. K. & CLOUGH G. F. The neurogenic vasodilator response to endothelin-1: a study in human skin *in vivo* 839

COATS A. J. S. *see* DAVIES L. C., FRANCIS D. P., CRISAFULLI A., CONCU A., COATS A. J. S. & PIEPOLI M. Oscillations in stroke volume and cardiac output arising from oscillatory ventilation in humans 857

COGO C. E. *see* NATALUCCI S., RUGGERI P., COGO C. E., PICCHIO V. & BURATTINI R. Insulin sensitivity and glucose effectiveness estimated by the minimal model technique in spontaneously hypertensive and normal rats 775

CONCU A. *see* DAVIES L. C., FRANCIS D. P., CRISAFULLI A., CONCU A., COATS A. J. S. & PIEPOLI M. Oscillations in stroke volume and cardiac output arising from oscillatory ventilation in humans 857

CONSTANTIN-TEODOSIU D. *see* TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. Carbohydrate ingestion prior to exercise augments the exercise-induced activation of the pyruvate dehydrogenase complex in human skeletal muscle 581

COOTE J. H. *see* DEERING J. & COOTE J. H. Paraventricular neurones elicit a volume expansion-like change of activity in sympathetic nerves to the heart and kidney in the rabbit 177

COPLAND J. A *see* SOLOFF M. S., JENG Y.-J., COPLAND J. A, STRAKOVA Z. & HOARE S. Signal pathways mediating oxytocin stimulation of prostaglandin synthesis in select target cells 51*S*

COWLEY JR A. W. Control of the renal medullary circulation by vasopressin $V_1$ and $V_2$ receptors in the rat 223*S*

COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

CRISAFULLI A. *see* DAVIES L. C., FRANCIS D. P., CRISAFULLI A., CONCU A., COATS A. J. S. & PIEPOLI M. Oscillations in stroke volume and cardiac output arising from oscillatory ventilation in humans 857

CULMAN J. Antisense oligonucleotides in the study of central mechanisms of the cardiovascular regulation 757

CUNNINGHAM D. A. *see* LUCY S. D., HUGHSON R. L., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Body position and cardiac dynamic and chronotropic responses to steady-state isocapnic hypoxaemia in humans 227

CUNNINGHAM D. A. *see* VOVK A., DUFFIN J., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Changes in chemoreflex characteristics following acute carbonic anhydrase inhibition in humans at rest 847

CUNNINGHAM D. A. *see* PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Left ventricular diastolic filling and cardiovascular functional capacity in older men 547

CUNNINGHAM D. A. *see* JOHNSON P. J., WINTER E. M., PATERSON D. H., KOVAL J. J., NEVILL A. M. & CUNNINGHAM D. A. Modelling the influence of age, body size and sex on maximum oxygen uptake in older humans 219

CUNNINGHAM D. A. *see* AMARA C. E., KOVAL J. J., JOHNSON P. J., PATERSON D. H., WINTER E. M. & CUNNINGHAM D. A. Modelling the influence of fat-free mass and physical activity on the decline in maximal oxygen uptake with age in older humans 877

CUNNINGHAM D. A., ST CROIX C. M., PATERSON D. H., ÖZYENER F. & WHIPP B. J. The off-transient pulmonary oxygen uptake ($\dot{V}_{O_2}$) kinetics following attainment of a particular $\dot{V}_{O_2}$ during heavy-intensity exercise in humans 339

CURTIN S. V. *see* JAKOBI J. M., RICE C. L., CURTIN S. V. & MARSH G. D. Contractile properties, fatigue and recovery are not influenced by short-term creatine supplementation in human muscle 451

DANDRIFOSSE G. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

DANIELSON V. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

DATTA H. K. *see* BERGER C. E. M. & DATTA H. K. Forskolin has a bimodal cAMP-independent effect on superoxide anion generation in rat isolated osteoclasts 57

DAVIES L. C., FRANCIS D. P., CRISAFULLI A., CONCU A., COATS A. J. S. & PIEPOLI M. Oscillations in stroke volume and cardiac output arising from oscillatory ventilation in humans 857

DAYANITHI G., SABATIER N. & WIDMER H. Intracellular calcium signalling in magnocellular neurones of the rat supraoptic nucleus: understanding the autoregulatory mechanisms 75*S*

DE LISA A. *see* MANCINELLI R., USAI P., VARGIU R., DE LISA A., SCARPA R. M. & USAI E. Human ejaculatory duct: parameters of smooth muscle motor activity and modulatory role of autonomic drugs 465

De la Fuente M. *see* Ortega E., Garcia J. J. & De la Fuente M. Ageing modulates some aspects of the non-specific immune response of murine macrophages and lymphocytes 519

Deering J. & Coote J. H. Paraventricular neurones elicit a volume expansion-like change of activity in sympathetic nerves to the heart and kidney in the rabbit 177

Desbaillets I., Ziegler U., Groscurth P. & Gassmann M. Embryoid bodies: an *in vitro* model of mouse embryogenesis 645

DiMarco A. F., Romaniuk J. R., Supinski G. & Kowalski K. E. Effects of lung volume on parasternal pressure-generating capacity in dogs 331

Dobrowolski L., Bądzyńska B. & Sadowski J. Differential effect of frusemide on renal medullary and cortical blood flow in the anaesthetised rat 783

Dorrington K. L. *see* Clar C., Dorrington K. L., Fatemian M. & Robbins P. A. Cardiovascular effects of 8 h of isocapnic hypoxia with and without $\beta$-blockade in humans 557

Douglas A. J. & Ludwig M. *Quo vadis* neurohypophysial hormone research? 267*S*

Drinkhill M. J. *see* McMahon N. C., Drinkhill M. J., Myers D. S. & Hainsworth R. Absence of reflex vascular responses from the intrapulmonary circulation in anaesthetised dogs 421

Drinkhill M. J. *see* McMahon N. C., Drinkhill M. J., Myers D. S. & Hainsworth R. Reflex responses from the main pulmonary artery and bifurcation in anaesthetised dogs 411

Duffin J. *see* Vovk A., Duffin J., Kowalchuk J. M., Paterson D. H. & Cunningham D. A. Changes in chemoreflex characteristics following acute carbonic anhydrase inhibition in humans at rest 847

Earm Y. E. *see* Youm J. B., Ho W.-K. & Earm Y. E. Permeability characteristics of monovalent cations in atrial myocytes of the rat heart 143

Ebner K. *see* Engelmann M., Wotjak C. T., Ebner K. & Landgraf R. Behavioural impact of intraseptally released vasopressin and oxytocin in rats 125*S*

Egginton S. & Hudlická O. Selective long-term electrical stimulation of fast glycolytic fibres increases capillary supply but not oxidative enzyme activity in rat skeletal muscles 567

Ekström J., Engdahl Havel G. & Reinhold A.-C. Parasympathetic non-adrenergic, non-cholinergic-induced protein synthesis and mitogenic activity in rat parotid glands 171

Engdahl Havel G. *see* Ekström J., Engdahl Havel G. & Reinhold A.-C. Parasympathetic non-adrenergic, non-cholinergic-induced protein synthesis and mitogenic activity in rat parotid glands 171

Engelmann M., Wotjak C. T., Ebner K. & Landgraf R. Behavioural impact of intraseptally released vasopressin and oxytocin in rats 125*S*

Fahrenholz F. *see* Gimpl G., Burger K., Politowska E., Ciarkowski J. & Fahrenholz F. Oxytocin receptors and cholesterol: interaction and regulation 41*S*

Fanò G. *see* Fulle S., Pietrangelo T., Mariggiò M. A., Lorenzon P., Racanicchi L., Mozrzymas J., Guarnieri S., Zucconi-Grassi G. & Fanò G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

Fanelli F. *see* Chini B. & Fanelli F. Molecular basis of ligand binding and receptor activation in the oxytocin and vasopressin receptor family 59*S*

Fatemian M. *see* Clar C., Dorrington K. L., Fatemian M. & Robbins P. A. Cardiovascular effects of 8 h of isocapnic hypoxia with and without $\beta$-blockade in humans 557

Faulkner J. A. *see* Lynch G. S., Hinkle R. T. & Faulkner J. A. Power output of fast and slow skeletal muscles of *mdx* (dystrophic) and control mice after clenbuterol treatment 295

Ferguson A. V. & Latchford K. J. Local circuitry regulates the excitability of rat neurohypophysial neurones 153*S*

Ferris C. F. Adolescent stress and neural plasticity in hamsters: a vasopressin–serotonin model of inappropriate aggressive behaviour 85*S*

Ferry A. *see* Noirez P., Agbulut O. & Ferry A. Differential modification of myosin heavy chain expression by tenotomy in regenerating fast and slow muscles of the rat 187

Folland J., Leach B., Little T., Hawker K., Myerson S., Montgomerie H. & Jones D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

Forhead A. J. *see* Fowden A. L., Forhead A. J., White K. L. & Taylor P. M. Equine uteroplacental metabolism at mid- and late gestation 539

Forsling M. L. Diurnal rhythms in neurohypophysial function 179*S*

Forsling M. L. *see* Zhou Y. & Forsling M. L. Effect of reproductive status on plasma oxytocin concentrations and the renal response to oxytocin in the conscious rat 73

Fowden A. L., Forhead A. J., White K. L. & Taylor P. M. Equine uteroplacental metabolism at mid- and late gestation 539

Francis D. P. *see* Davies L. C., Francis D. P., Crisafulli A., Concu A., Coats A. J. S. & Piepoli M. Oscillations in stroke volume and cardiac output arising from oscillatory ventilation in humans 857

Frigg R. *see* Brandner S., Klein M. A., Frigg R., Pekarik V., Parizek P., Raeber A., Glatzel M., Schwarz P., Rülicke T., Weissmann C. & Aguzzi A. Neuroinvasion of prions: insights from mouse models 705

Fuchs E. *see* Rathkolb B., Fuchs E., Kolb H. J., Renner-Müller I., Krebs O., Balling R., Hrabé de Angelis M. & Wolf E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice - from phenotypes to genes 635

Fulle S., Pietrangelo T., Mariggiò M. A., Lorenzon P., Racanicchi L., Mozrzymas J., Guarnieri S., Zucconi-Grassi G. & Fanò G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

FULLER A., MALONEY S. K., KAMERMAN P. R., MITCHELL G. & MITCHELL D. Absence of selective brain cooling in free-ranging zebras in their natural habitat 209

FURUYA E. *see* NAKAHARI T., ITO S., YOSHIDA H., FURUYA E. & IMAI Y. Accumulation of cAMP evoked by acetylcholine stimulation in rat submandibular acinar cells: observation of exocytosis, fluid secretion and $[Ca^{2+}]_i$ 159

FURUYA K. *see* KATO K., FURUYA K., TSUTSUI I., OSAKI T. & YAMAGISHI S. Cyclic AMP-mediated inhibition of noradrenaline-induced contraction and $Ca^{2+}$ influx in guinea-pig vas deferens 387

G. B. *see* PROCTOR, G. B., CARPENTER G. H., ANDERSON L. C. & GARRETT J. R. Nerve-evoked secretion of immunoglobulin A in relation to other proteins by parotid glands in anaesthetized rat 511

GACSALYI U., ZABIELSKI R. & PIERZYNOWSKI S. G. Telemetry facilitates long-term recording of gastrointestinal myoelectrical activity in pigs 239

GALLOWAY S. D. R. *see* PATTERSON M. J., GALLOWAY S. D. R. & NIMMO M. A. Variations in regional sweat composition in normal human males 869

GANTEN D. *see* BADER M., BOHNEMEIER H., ZOLLMANN F. S., LOCKLEY-JONES O. E. & GANTEN D. Transgenic animals in cardiovascular disease research 713

GARCIA J. J. *see* ORTEGA E., GARCIA J. J. & DE LA FUENTE M. Ageing modulates some aspects of the non-specific immune response of murine macrophages and lymphocytes 519

GARCIA-DORADO D. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

GARNHAM A. *see* SANIDAS D., GARNHAM A. & MIAN R. Activation of human leukocytes by acute hypoxia 263

GARRETT J. R. *see* CARPENTER G. H., PROCTOR G. B., ANDERSON L. C., ZHANG X. S. & GARRETT J. R. Immunoglobulin A secretion into saliva during dual sympathetic and parasympathetic nerve stimulation of rat submandibular glands 281

GARRETT J. R. *see* PROCTOR, G. B., CARPENTER G. H., ANDERSON L. C. & GARRETT J. R. Nerve-evoked secretion of immunoglobulin A in relation to other proteins by parotid glands in anaesthetized rat 511

GARRIGA C., MORETÓ M. & PLANAS J. M. Effects of resalination on intestinal glucose transport in chickens adapted to low $Na^+$ intakes 371

GASSMANN M. *see* DESBAILLETS I., ZIEGLER U., GROSCURTH P. & GASSMANN M. Embryoid bodies: an *in vitro* model of mouse embryogenesis 645

GASSMANN M. *see* SCHEID A., MEULI M., GASSMANN M. & WENGER R. H. Genetically modified mouse models in studies on cutaneous wound healing 687

GASSMANN M., RÜLICKE T., LEDERMANN B. & BÜRKI K. Transgenesis at the Millennium 587

GATE J. J., CLARKE L., BIRD J. A., LOMAX M. A. & SYMONDS M. E. Effect of feeding level and thyroxine on adipose tissue development and growth in postnatal lambs 439

GILLE J. P. *see* HAOUZI P., ALLIOUI E. M., GILLE J. P., BEDEZ Y., TOUSSEUL B. & CHALON B. Stimulation of ventilation by normobaric hyperoxia in exercising dogs 829

GILLESPIE J. I. *see* HARDY L. A., HARVEY I. J., CHAMBERS P. & GILLESPIE J. I. A putative alternatively spliced variant of the $P2X_1$ purinoceptor in human bladder 461

GILLOTT K. L. *see* COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

GIMPL G., BURGER K., POLITOWSKA E., CIARKOWSKI J. & FAHRENHOLZ F. Oxytocin receptors and cholesterol: interaction and regulation 41*S*

GLATZEL M. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

GOLDSPINK D. F. *see* COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

GONZÁLEZ M. A. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

GOUDERS I. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

GOW I. F. Response of isolated ruminant mammary arteries to the long $R_3$ analogue of insulin-like growth factor I 275

GRANT F. D. Genetic models of vasopressin deficiency 203*S*

GREENHAFF P. *see* TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. Carbohydrate ingestion prior to exercise augments the exercise-induced activation of the pyruvate dehydrogenase complex in human skeletal muscle 581

GRIFFITHS E. J. *see* WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. Differences in the calcium-handling response of isolated rat and guinea-pig cardiomyocytes to metabolic inhibition: implications for cell damage 505

GROSCURTH P. *see* DESBAILLETS I., ZIEGLER U., GROSCURTH P. & GASSMANN M. Embryoid bodies: an *in vitro* model of mouse embryogenesis 645

GROSS P. & PALM C. The treatment of hyponatraemia using vasopressin antagonists 253*S*

GROSSINI E. *see* MOLINARI C., BATTAGLIA A., BONA G., GROSSINI E., MARY D. A. S. G. & VACCA G. The role of nitric oxide in the coronary vasoconstriction caused by growth hormone in anaesthetized pigs 203

GRZEGORZEWSKI W. *see* STEFAŃCZYK-KRZYMOWSKA S., KRZYMOWSKI T., GRZEGORZEWSKI W., WĄSOWSKA B. & SKIPOR J. Humoral pathway for local transfer of the priming pheromone androstenol from the nasal cavity to the brain and hypophysis in anaesthetized gilts 801

GUARNIERI S. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

GUILLOCHON D. *see* VAGHEFI N., NEDJAOUM F., GUILLOCHON D., BUREAU F., ARHAN P. & BOUGLÉ D. Influence of the extent of haemoglobin hydrolysis on the digestive absorption of haem iron in the rat. An *in vitro* study 379

GURNEY A. M. *see* MCCULLOCH K. M., KEMPSILL F. E. J., BUCHANAN K. J. & GURNEY A. M. Regional distribution of potassium currents in the rabbit pulmonary arterial circulation 487

GÓGL A. *see* TOST H., HABLY C., LENGYEL M., GÓGL A., LENDVAI A. & BARTHA J. Effect of nitric oxide synthase inhibition on renal circulation and excretory function in anaesthetized rats 791

HABLY C. *see* TOST H., HABLY C., LENGYEL M., GÓGL A., LENDVAI A. & BARTHA J. Effect of nitric oxide synthase inhibition on renal circulation and excretory function in anaesthetized rats 791

HAINSWORTH R. *see* MCMAHON N. C., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. Absence of reflex vascular responses from the intrapulmonary circulation in anaesthetised dogs 421

HAINSWORTH R. *see* MCMAHON N. C., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. Reflex responses from the main pulmonary artery and bifurcation in anaesthetised dogs 411

HAJIZADEH S. *see* BADAVI M., KHOSHBATEN A. & HAJIZADEH S. Decreased response of rat knee joint blood vessels to phenylephrine in chronic inflammation: involvement of nitric oxide 49

HANSON M. A. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

HAOUZI P., ALLIOUI E. M., GILLE J. P., BEDEZ Y., TOUSSEUL B. & CHALON B. Stimulation of ventilation by normobaric hyperoxia in exercising dogs 829

HARDY L. A., HARVEY I. J., CHAMBERS P. & GILLESPIE J. I. A putative alternatively spliced variant of the $P2X_1$ purinoceptor in human bladder 461

HAROON M. M. *see* HONGO K., BRETTE F., HAROON M. M. & WHITE E. Mechanisms associated with the negative inotropic effect of deuterium oxide in single rat ventricular myocytes 133

HARRIS M. C. *see* BODEN A. G., HARRIS M. C. & PARKES M. J. A respiratory drive in addition to the increase in $CO_2$ production at raised body temperature in rats 309

HARRIS M. C. *see* BODEN A. G., HARRIS M. C. & PARKES M. J. The preoptic area in the hypothalamus is the source of the additional respiratory drive at raised body temperature in anaesthetised rats 527

HARRISON P. J. *see* MYRIKNAS S. E., BEITH I. D. & HARRISON P. J. Stretch reflexes in the rectus abdominis muscle in man 445

HART G. *see* WAN X., BRYANT S. M. & HART G. The effects of $[K^+]_o$ on regional differences in electrical characteristics of ventricular myocytes in guinea-pig 769

HARVEY I. J. *see* HARDY L. A., HARVEY I. J., CHAMBERS P. & GILLESPIE J. I. A putative alternatively spliced variant of the $P2X_1$ purinoceptor in human bladder 461

HAVAS E., LEHTONEN M., VUORELA J., PARVIAINEN T. & VIHKO V. Albumin clearance from human skeletal muscle during prolonged steady-state running 863

HAWKER K. *see* FOLLAND J., LEACH B., LITTLE T., HAWKER K., MYERSON S., MONTGOMERIE H. & JONES D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

HELMCHEN U. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

HENGARTNER H. *see* VAN DEN BROEK M. F. & HENGARTNER H. The role of perforin in infections and tumour surveillance 681

HENGARTNER H. *see* LUDEWIG B., ZINKERNAGEL R. M. & HENGARTNER H. Transgenic animal models for virus-induced autoimmune diseases 653

HEUSCH G. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

HINKLE R. T. *see* LYNCH G. S., HINKLE R. T. & FAULKNER J. A. Power output of fast and slow skeletal muscles of *mdx* (dystrophic) and control mice after clenbuterol treatment 295

HIRASAWA M. *see* PITTMAN Q. J., HIRASAWA M., MOUGINOT D. & KOMBIAN S. B. Neurohypophysial peptides as retrograde transmitters in the supraoptic nucleus of the rat 1395

HO W.-K. *see* YOUM J. B., HO W.-K. & EARM Y. E. Permeability characteristics of monovalent cations in atrial myocytes of the rat heart 143

HOARE S. *see* SOLOFF M. S., JENG Y.-J., COPLAND J. A, STRAKOVA Z. & HOARE S. Signal pathways mediating oxytocin stimulation of prostaglandin synthesis in select target cells 515

HONGO K., BRETTE F., HAROON M. M. & WHITE E. Mechanisms associated with the negative inotropic effect of deuterium oxide in single rat ventricular myocytes 133

HRABÉ DE ANGELIS M. *see* RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

HUDLICKÁ O. *see* EGGINTON S. & HUDLICKÁ O. Selective long-term electrical stimulation of fast glycolytic fibres increases capillary supply but not oxidative enzyme activity in rat skeletal muscles 567

HUGHSON R. L. *see* LUCY S. D., HUGHSON R. L., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Body position and cardiac dynamic and chronotropic responses to steady-state isocapnic hypoxaemia in humans 227

HULTMAN E. *see* TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. Carbohydrate ingestion prior to exercise augments the exercise-induced activation of the pyruvate dehydrogenase complex in human skeletal muscle 581

HÜBSCHER U. *see* RÜLICKE T. & HÜBSCHER U. Germ line transformation of mammals by pronuclear microinjection 589

IBRAHIM N. *see* SHIBUYA I., KABASHIMA N., IBRAHIM N., SETIADJI S. V., UETA Y. & YAMASHITA H. Pre- and postsynaptic modulation of the electrical activity of rat supraoptic neurones 145*S*

IMAI Y. *see* NAKAHARI T., ITO S., YOSHIDA H., FURUYA E. & IMAI Y. Accumulation of cAMP evoked by acetylcholine stimulation in rat submandibular acinar cells: observation of exocytosis, fluid secretion and $[Ca^{2+}]_i$ 159

INSERTE J. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

IPATOVA T. *see* BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. Erratum: Experimental Physiology (2000) 85, 125–131. 353

IPATOVA T. *see* BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. The effect of carbachol and α-bungarotoxin on the frequency of miniature endplate potentials at the frog neuromuscular junction 125

ITO S. *see* NAKAHARI T., ITO S., YOSHIDA H., FURUYA E. & IMAI Y. Accumulation of cAMP evoked by acetylcholine stimulation in rat submandibular acinar cells: observation of exocytosis, fluid secretion and $[Ca^{2+}]_i$ 159

JAKOBI J. M., RICE C. L., CURTIN S. V. & MARSH G. D. Contractile properties, fatigue and recovery are not influenced by short-term creatine supplementation in human muscle 451

JAMES R. S. *see* COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

JANSKÝ L. *see* VYBÍRAL S., LESNÁ I., JANSKÝ L. & ZEMAN V. Thermoregulation in winter swimmers and physiological significance of human catecholamine thermogenesis 321

JENG Y.-J. *see* SOLOFF M. S., JENG Y.-J., COPLAND J. A., STRAKOVA Z. & HOARE S. Signal pathways mediating oxytocin stimulation of prostaglandin synthesis in select target cells 51*S*

JOHNSON P. J., WINTER E. M., PATERSON D. H., KOVAL J. J., NEVILL A. M. & CUNNINGHAM D. A. Modelling the influence of age, body size and sex on maximum oxygen uptake in older humans 219

JOHNSON P. J. *see* AMARA C. E., KOVAL J. J., JOHNSON P. J., PATERSON D. H., WINTER E. M. & CUNNINGHAM D. A. Modelling the influence of fat-free mass and physical activity on the decline in maximal oxygen uptake with age in older humans 877

JOHNSTON C. I. *see* BURRELL L. M., RISVANIS J., JOHNSTON C. I., NAITOH M. & BALDING L. C. Vasopressin receptor antagonism – a therapeutic option in heart failure and hypertension 259*S*

JONES A. M. *see* BARSTOW T. J., JONES A. M., NGUYEN P. H. & CASABURI R. Influence of muscle fibre type and fitness on the oxygen uptake/power output slope during incremental exercise in humans 109

JONES D. *see* FOLLAND J., LEACH B., LITTLE T., HAWKER K., MYERSON S., MONTGOMERIE H. & JONES D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

JULIÁ M. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

KABASHIMA N. *see* SHIBUYA I., KABASHIMA N., IBRAHIM N., SETIADJI S. V., UETA Y. & YAMASHITA H. Pre- and postsynaptic modulation of the electrical activity of rat supraoptic neurones 145*S*

KAMERMAN P. R. *see* FULLER A., MALONEY S. K., KAMERMAN P. R., MITCHELL G. & MITCHELL D. Absence of selective brain cooling in free-ranging zebras in their natural habitat 209

KAMIMURA N., SUGA S., NAKANO K., KANNO T., TAKEO T. & WAKUI M. Protein kinase C-dependent inhibition of $K^+$ currents in noradrenaline-induced depolarization of smooth muscle of guinea-pig vas deferens 37

KANG T. M. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

KANGAWA K. *see* UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

KANNO T. *see* KAMIMURA N., SUGA S., NAKANO K., KANNO T., TAKEO T. & WAKUI M. Protein kinase C-dependent inhibition of $K^+$ currents in noradrenaline-induced depolarization of smooth muscle of guinea-pig vas deferens 37

KAPOOR R. *see* SLADEK C. D., SWENSON K. L., KAPOOR R. & SIDOROWICZ H. E. The role of steroid hormones in the regulation of vasopressin and oxytocin release and mRNA expression in hypothalamo-neurohypophysial explants from the rat 171*S*

KASPAROV S. & PATON J. F. R. Somatic gene transfer: implications for cardiovascular control 747

KATO K., FURUYA K., TSUTSUI I., OSAKI T. & YAMAGISHI S. Cyclic AMP-mediated inhibition of noradrenaline-induced contraction and $Ca^{2+}$ influx in guinea-pig vas deferens 387

KATO K. *see* CHOATE J. K., KATO K. & MOHAN R. M. Exercise training enhances relaxation of the isolated guinea-pig saphenous artery in response to acetylcholine 103

KATUGAMPOLA R., CHURCH M. K. & CLOUGH G. F. The neurogenic vasodilator response to endothelin-1: a study in human skin *in vivo* 839

KEMPSILL F. E. J. *see* MCCULLOCH K. M., KEMPSILL F. E. J., BUCHANAN K. J. & GURNEY A. M. Regional distribution of potassium currents in the rabbit pulmonary arterial circulation 487

KENDRICK K. M. Oxytocin, motherhood and bonding 111*S*

KERR P. M. *see* WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. Differences in the calcium-handling response of isolated rat and guinea-pig cardiomyocytes to metabolic inhibition: implications for cell damage 505

KHOSHBATEN A. *see* BADAVI M., KHOSHBATEN A. & HAJIZADEH S. Decreased response of rat knee joint blood vessels to phenylephrine in chronic inflammation: involvement of nitric oxide 49

KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

KIM K. W. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

KIM Y.-I. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

KITAMURA K. *see* UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

KLEIN M. A. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

KLIMEK M. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

KOLB H. J. *see* RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

KOMBIAN S. B. *see* PITTMAN Q. J., HIRASAWA M., MOUGINOT D. & KOMBIAN S. B. Neurohypophysial peptides as retrograde transmitters in the supraoptic nucleus of the rat 139*S*

KOVAL J. J. *see* JOHNSON P. J., WINTER E. M., PATERSON D. H., KOVAL J. J., NEVILL A. M. & CUNNINGHAM D. A. Modelling the influence of age, body size and sex on maximum oxygen uptake in older humans 219

KOVAL J. J. *see* AMARA C. E., KOVAL J. J., JOHNSON P. J., PATERSON D. H., WINTER E. M. & CUNNINGHAM D. A. Modelling the influence of fat-free mass and physical activity on the decline in maximal oxygen uptake with age in older humans 877

KOWALCHUK J. M. *see* LUCY S. D., HUGHSON R. L., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Body position and cardiac dynamic and chronotropic responses to steady-state isocapnic hypoxaemia in humans 227

KOWALCHUK J. M. *see* VOVK A., DUFFIN J., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Changes in chemoreflex characteristics following acute carbonic anhydrase inhibition in humans at rest 847

KOWALSKI K. E. *see* DIMARCO A. F., ROMANIUK J. R., SUPINSKI G. & KOWALSKI K. E. Effects of lung volume on parasternal pressure-generating capacity in dogs 331

KREBS O. *see* RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

KRIBBEN A. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

KRZYMOWSKI T. *see* STEFAŃCZYK-KRZYMOWSKA S., KRZYMOWSKI T., GRZEGORZEWSKI W., WĄSOWSKA B. & SKIPOR J. Humoral pathway for local transfer of the priming pheromone androstenol from the nasal cavity to the brain and hypophysis in anaesthetized gilts 801

KUHN G. *see* CERMAK R., VUJICIC Z., KUHN G. & WOLFFRAM S. The secretory response of the rat colon to the flavonol quercetin is dependent on $Ca^{2+}$–calmodulin 255

LADILOV Y. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

LAGNADO L. Visual signals in the retina: from photons to synapses 1

LANDGRAF R. *see* ENGELMANN M., WOTJAK C. T., EBNER K. & LANDGRAF R. Behavioural impact of intraseptally released vasopressin and oxytocin in rats 125*S*

LATCHFORD K. J. *see* FERGUSON A. V. & LATCHFORD K. J. Local circuitry regulates the excitability of rat neurohypophysial neurones 153*S*

LEACH B. *see* FOLLAND J., LEACH B., LITTLE T., HAWKER K., MYERSON S., MONTGOMERIE H. & JONES D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

LEDERMANN B. Embryonic stem cells and gene targeting 603

LEDERMANN B. *see* GASSMANN M., RÜLICKE T., LEDERMANN B. & BÜRKI K. Transgenesis at the Millennium 587

LEHTONEN M. *see* HAVAS E., LEHTONEN M., VUORELA J., PARVIAINEN T. & VIHKO V. Albumin clearance from human skeletal muscle during prolonged steady-state running 863

LEI M., BROWN H. F. & TERRAR D. A. Modulation of delayed rectifier potassium current, $i_K$, by isoprenaline in rabbit isolated pacemaker cells 27

LEMOS J. R. & WANG G. Excitatory *versus* inhibitory modulation by ATP of neurohypophysial terminal activity in the rat 67*S*

LENDVAI A. *see* TOST H., HABLY C., LENGYEL M., GÓGL A., LENDVAI A. & BARTHA J. Effect of nitric oxide synthase inhibition on renal circulation and excretory function in anaesthetized rats 791

LENG G. *see* RUSSELL J. A. & LENG G. *Veni, vidi, vici*: the neurohypophysis in the twentieth century 1*S*

LENGYEL M. *see* TOST H., HABLY C., LENGYEL M., GÓGL A., LENDVAI A. & BARTHA J. Effect of nitric oxide synthase inhibition on renal circulation and excretory function in anaesthetized rats 791

LEONI S. *see* MARINO M., MELE R., SPAGNUOLO S., PULCINELLI F. M., MANGIANTINI M. T. & LEONI S. Epidermal growth factor regulates amino acid transport in chick embryo hepatocytes via protein kinase C

363

LESNÁ I. *see* VYBÍRAL S., LESNÁ I., JANSKÝ L. & ZEMAN V. Thermoregulation in winter swimmers and physiological significance of human catecholamine thermogenesis 321

LESNIEWSKA V. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

LIPP H.-P. *see* WOLFER D. P. & LIPP H.-P. Dissecting the behaviour of transgenic mice: is it the mutation, the genetic background, or the environment? 627

LITTLE T. *see* FOLLAND J., LEACH B., LITTLE T., HAWKER K., MYERSON S., MONTGOMERIE H. & JONES D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

LLORENS A. *see* ADAM C., LLORENS A., BAROUKH B., CHERRUAU M. & SAFFAR J. L. Effects of capsaicin-induced sensory denervation on osteoclastic resorption in adult rats 61

LOCKLEY-JONES O. E. *see* BADER M., BOHNEMEIER H., ZOLLMANN F. S., LOCKLEY-JONES O. E. & GANTEN D. Transgenic animals in cardiovascular disease research 713

LOMAX M. A. *see* GATE J. J., CLARKE L., BIRD J. A., LOMAX M. A. & SYMONDS M. E. Effect of feeding level and thyroxine on adipose tissue development and growth in postnatal lambs 439

LORENZON P. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

LUCY S. D., HUGHSON R. L., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Body position and cardiac dynamic and chronotropic responses to steady-state isocapnic hypoxaemia in humans 227

LUDEWIG B., ZINKERNAGEL R. M. & HENGARTNER H. Transgenic animal models for virus-induced autoimmune diseases 653

LUDWIG M. *see* DOUGLAS A. J. & LUDWIG M. *Quo vadis* neurohypophysial hormone research? 267*S*

LUMB B., MURPHY D. & PATON J. F. R. Taking integrative physiology into the New Millenium: Preface 733

LUMBERS E. R. *see* ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

LYNCH G. S., HINKLE R. T. & FAULKNER J. A. Power output of fast and slow skeletal muscles of *mdx* (dystrophic) and control mice after clenbuterol treatment 295

MA D. *see* MORRIS J. F., CHRISTIAN H., MA D. & WANG H. Dendritic secretion of peptides from hypothalamic magnocellular neurosecretory neurones: a local dynamic control system and its functions 131*S*

MA T. *see* VERKMAN A. S., YANG B., SONG Y., MANLEY G. T. & MA T. Role of water channels in fluid transport studied by phenotype analysis of aquaporin knockout mice 233*S*

MCCULLOCH K. M., KEMPSILL F. E. J., BUCHANAN K. J. & GURNEY A. M. Regional distribution of potassium currents in the rabbit pulmonary arterial circulation 487

MCGARRIGLE H. H. G. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

MCMAHON N. C., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. Absence of reflex vascular responses from the intrapulmonary circulation in anaesthetised dogs 421

MCMAHON N. C., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. Reflex responses from the main pulmonary artery and bifurcation in anaesthetised dogs 411

MCMILLEN I. C. *see* ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

MALONEY S. K. *see* FULLER A., MALONEY S. K., KAMERMAN P. R., MITCHELL G. & MITCHELL D. Absence of selective brain cooling in free-ranging zebras in their natural habitat 209

MANCINELLI R., USAI P., VARGIU R., DE LISA A., SCARPA R. M. & USAI E. Human ejaculatory duct: parameters of smooth muscle motor activity and modulatory role of autonomic drugs 465

MANGIANTINI M. T. *see* MARINO M., MELE R., SPAGNUOLO S., PULCINELLI F. M., MANGIANTINI M. T. & LEONI S. Epidermal growth factor regulates amino acid transport in chick embryo hepatocytes via protein kinase C 363

MANLEY G. T. *see* VERKMAN A. S., YANG B., SONG Y., MANLEY G. T. & MA T. Role of water channels in fluid transport studied by phenotype analysis of aquaporin knockout mice 233*S*

MANNING M. *see* CHAN W. Y., WO N. C., STOEV S., CHENG L. L. & MANNING M. Discovery and design of novel and selective vasopressin and oxytocin agonists and antagonists: the role of bioassays 7*S*

MANSUY I. M. & SUTER U. Mouse genetics in cell biology 661

MARCHENKO S. M. & SAGE S. O. Effects of shear stress on $[Ca^{2+}]_i$ and membrane potential of vascular endothelium of intact rat blood vessels 43

MARCHENKO S. M. & SAGE S. O. Hyperosmotic but not hyposmotic stress evokes a rise in cytosolic $Ca^{2+}$ concentration in endothelium of intact rat aorta 151

MARIGGIÒ M. A. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

MARINO M., MELE R., SPAGNUOLO S., PULCINELLI F. M., MANGIANTINI M. T. & LEONI S. Epidermal growth factor regulates amino acid transport in chick embryo hepatocytes via protein kinase C 363

MARSH G. D. *see* JAKOBI J. M., RICE C. L., CURTIN S. V. & MARSH G. D. Contractile properties, fatigue and recovery are not influenced by short-term creatine supplementation in human muscle 451

MARY D. A. S. G. *see* MOLINARI C., BATTAGLIA A., BONA G., GROSSINI E., MARY D. A. S. G. & VACCA G. The role of nitric oxide in the coronary vasoconstriction caused by growth hormone in anaesthetized pigs 203

MELE R. *see* MARINO M., MELE R., SPAGNUOLO S., PULCINELLI F. M., MANGIANTINI M. T. & LEONI S. Epidermal growth factor regulates amino acid transport in chick embryo hepatocytes via protein kinase C 363

MEULI M. *see* SCHEID A., MEULI M., GASSMANN M. & WENGER R. H. Genetically modified mouse models in studies on cutaneous wound healing 687

MIAN R. *see* SANIDAS D., GARNHAM A. & MIAN R. Activation of human leukocytes by acute hypoxia 263

MICIELI G. *see* ROATTA S., RONCARI S., MICIELI G., BOSONE D. & PASSATORE M. Doppler sonography to monitor flow in different cerebral arteries in the rabbit 431

MITCHELL D. *see* FULLER A., MALONEY S. K., KAMERMAN P. R., MITCHELL G. & MITCHELL D. Absence of selective brain cooling in free-ranging zebras in their natural habitat 209

MITCHELL G. *see* FULLER A., MALONEY S. K., KAMERMAN P. R., MITCHELL G. & MITCHELL D. Absence of selective brain cooling in free-ranging zebras in their natural habitat 209

MOHAN R. M. *see* CHOATE J. K., KATO K. & MOHAN R. M. Exercise training enhances relaxation of the isolated guinea-pig saphenous artery in response to acetylcholine 103

MOLINARI C., BATTAGLIA A., BONA G., GROSSINI E., MARY D. A. S. G. & VACCA G. The role of nitric oxide in the coronary vasoconstriction caused by growth hormone in anaesthetized pigs 203

MONTANI J.-P. & VAN VLIET B. *The Cardiovascular System at a Glance*, edited by P. I. Aaroson and J. P. T. Ward 887

MONTGOMERIE H. *see* FOLLAND J., LEACH B., LITTLE T., HAWKER K., MYERSON S., MONTGOMERIE H. & JONES D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

MORETÓ M. *see* GARRIGA C., MORETÓ M. & PLANAS J. M. Effects of resalination on intestinal glucose transport in chickens adapted to low $Na^+$ intakes 371

MORRIS J. F., CHRISTIAN H., MA D. & WANG H. Dendritic secretion of peptides from hypothalamic magnocellular neurosecretory neurones: a local dynamic control system and its functions 131*S*

MOUGINOT D. *see* PITTMAN Q. J., HIRASAWA M., MOUGINOT D. & KOMBIAN S. B. Neurohypophysial peptides as retrograde transmitters in the supraoptic nucleus of the rat 139*S*

MOZRZYMAS J. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

MURPHY D. *see* WONG L.-F., WELLS S. & MURPHY D. Gene transfer strategies for the physiologist 735

MURPHY D. *see* LUMB B., MURPHY D. & PATON J. F. R. Taking integrative physiology into the New Millenium: Preface 733

MURPHY D., XU J. & WALLER S. Transgenic studies in rats and mice on the osmotic regulation of vasopressin gene expression 211*S*

MYERS D. S. *see* MCMAHON N. C., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. Absence of reflex vascular responses from the intrapulmonary circulation in anaesthetised dogs 421

MYERS D. S. *see* MCMAHON N. C., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. Reflex responses from the main pulmonary artery and bifurcation in anaesthetised dogs 411

MYERSON S. *see* FOLLAND J., LEACH B., LITTLE T., HAWKER K., MYERSON S., MONTGOMERIE H. & JONES D. Angiotensin-converting enzyme genotype affects the response of human skeletal muscle to functional overload 575

MYRIKNAS S. E., BEITH I. D. & HARRISON P. J. Stretch reflexes in the rectus abdominis muscle in man 445

NAITOH M. *see* BURRELL L. M., RISVANIS J., JOHNSTON C. I., NAITOH M. & BALDING L. C. Vasopressin receptor antagonism – a therapeutic option in heart failure and hypertension 259*S*

NAJAFIPOUR H. Alteration in $\alpha$- and $\beta$-adrenoceptor profile of rabbit knee joint blood vessels due to acute inflammation 267

NAKAHARI T., ITO S., YOSHIDA H., FURUYA E. & IMAI Y. Accumulation of cAMP evoked by acetylcholine stimulation in rat submandibular acinar cells: observation of exocytosis, fluid secretion and $[Ca^{2+}]_i$ 159

NAKANO K. *see* KAMIMURA N., SUGA S., NAKANO K., KANNO T., TAKEO T. & WAKUI M. Protein kinase C-dependent inhibition of $K^+$ currents in noradrenaline-induced depolarization of smooth muscle of guinea-pig vas deferens 37

NATALUCCI S., RUGGERI P., COGO C. E., PICCHIO V. & BURATTINI R. Insulin sensitivity and glucose effectiveness estimated by the minimal model technique in spontaneously hypertensive and normal rats 775

NEDJAOUM F. *see* VAGHEFI N., NEDJAOUM F., GUILLOCHON D., BUREAU F., ARHAN P. & BOUGLÉ D. Influence of the extent of haemoglobin hydrolysis on the digestive absorption of haem iron in the rat. An *in vitro* study 379

NEUMANN T. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

NEVILL A. M. *see* JOHNSON P. J., WINTER E. M., PATERSON D. H., KOVAL J. J., NEVILL A. M. & CUNNINGHAM D. A. Modelling the influence of age, body size and sex on maximum oxygen uptake in older humans 219

NGUYEN P. H. *see* BARSTOW T. J., JONES A. M., NGUYEN P. H. & CASABURI R. Influence of muscle fibre type and fitness on the oxygen uptake/power output slope during incremental exercise in humans 109

NIKOLSKY E. E. *see* BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. Erratum: Experimental Physiology (2000) 85, 125–131. 353

NIKOLSKY E. E. *see* BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. The effect of carbachol and $\alpha$-bungarotoxin on the frequency of miniature endplate potentials at the frog neuromuscular junction 125

NIMMO M. A. *see* PATTERSON M. J., GALLOWAY S. D. R. & NIMMO M. A. Variations in regional sweat composition in normal human males 869

NOAKES D. E. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

NOIREZ P., AGBULUT O. & FERRY A. Differential modification of myosin heavy chain expression by tenotomy in regenerating fast and slow muscles of the rat 187

NORTH W. G. Gene regulation of vasopressin and vasopressin receptors in cancer 27*S*

ONAKA T. Catecholaminergic mechanisms underlying neurohypophysial hormone responses to unconditioned or conditioned aversive stimuli in rats 101*S*

ORTEGA E., GARCIA J. J. & DE LA FUENTE M. Ageing modulates some aspects of the non-specific immune response of murine macrophages and lymphocytes 519

OSAKI T. *see* KATO K., FURUYA K., TSUTSUI I., OSAKI T. & YAMAGISHI S. Cyclic AMP-mediated inhibition of noradrenaline-induced contraction and $Ca^{2+}$ influx in guinea-pig vas deferens 387

OTTER D. & AUSTIN C. Simultaneous monitoring of vascular contractility, intracellular pH and intracellular calcium in isolated rat mesenteric arteries; effects of weak bases 349

OWENS J. A. *see* ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

ÖZYENER F. *see* CUNNINGHAM D. A., ST CROIX C. M., PATERSON D. H., ÖZYENER F. & WHIPP B. J. The off-transient pulmonary oxygen uptake ($\dot{V}_{O_2}$) kinetics following attainment of a particular $\dot{V}_{O_2}$ during heavy-intensity exercise in humans 339

OZAKI T. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

PALM C. *see* GROSS P. & PALM C. The treatment of hyponatraemia using vasopressin antagonists 253*S*

PARIZEK P. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

PARK M. K. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

PARKES M. J. *see* BODEN A. G., HARRIS M. C. & PARKES M. J. A respiratory drive in addition to the increase in $CO_2$ production at raised body temperature in rats 309

PARKES M. J. *see* BODEN A. G., HARRIS M. C. & PARKES M. J. The preoptic area in the hypothalamus is the source of the additional respiratory drive at raised body temperature in anaesthetised rats 527

PARRY L. J. & BATHGATE R. A. D. The role of oxytocin and regulation of uterine oxytocin receptors in pregnant marsupials 91*S*

PARVIAINEN T. *see* HAVAS E., LEHTONEN M., VUORELA J., PARVIAINEN T. & VIHKO V. Albumin clearance from human skeletal muscle during prolonged steady-state running 863

PASSATORE M. *see* ROATTA S., RONCARI S., MICIELI G., BOSONE D. & PASSATORE M. Doppler sonography to monitor flow in different cerebral arteries in the rabbit 431

PATEL A. & SMITH F. G. Renal haemodynamic effects of $B_2$ receptor agonist bradykinin and $B_2$ receptor antagonist HOE 140 in conscious lambs 811

PATERSON D. H. *see* LUCY S. D., HUGHSON R. L., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Body position and cardiac dynamic and chronotropic responses to steady-state isocapnic hypoxaemia in humans 227

PATERSON D. H. *see* VOVK A., DUFFIN J., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Changes in chemoreflex characteristics following acute carbonic anhydrase inhibition in humans at rest 847

PATERSON D. H. *see* PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Left ventricular diastolic filling and cardiovascular functional capacity in older men 547

PATERSON D. H. *see* JOHNSON P. J., WINTER E. M., PATERSON D. H., KOVAL J. J., NEVILL A. M. & CUNNINGHAM D. A. Modelling the influence of age, body size and sex on maximum oxygen uptake in older humans 219

PATERSON D. H. *see* AMARA C. E., KOVAL J. J., JOHNSON P. J., PATERSON D. H., WINTER E. M. & CUNNINGHAM D. A. Modelling the influence of fat-free mass and physical activity on the decline in maximal oxygen uptake with age in older humans 877

PATERSON D. H. *see* CUNNINGHAM D. A., ST CROIX C. M., PATERSON D. H., ÖZYENER F. & WHIPP B. J. The off-transient pulmonary oxygen uptake ($\dot{V}_{O_2}$) kinetics following attainment of a particular $\dot{V}_{O_2}$ during heavy-intensity exercise in humans 339

PATON J. F. R. *see* KASPAROV S. & PATON J. F. R. Somatic gene transfer: implications for cardiovascular control 747

PATON J. F. R. *see* LUMB B., MURPHY D. & PATON J. F. R. Taking integrative physiology into the New Millenium: Preface 733

PATTERSON M. J., GALLOWAY S. D. R. & NIMMO M. A. Variations in regional sweat composition in normal human males 869

PEKARIK V. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Left ventricular diastolic filling and cardiovascular functional capacity in older men 547

PHILIPP T. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

PICCHIO V. *see* NATALUCCI S., RUGGERI P., COGO C. E., PICCHIO V. & BURATTINI R. Insulin sensitivity and glucose effectiveness estimated by the minimal model technique in spontaneously hypertensive and normal rats 775

PIEPOLI M. *see* DAVIES L. C., FRANCIS D. P., CRISAFULLI A., CONCU A., COATS A. J. S. & PIEPOLI M. Oscillations in stroke volume and cardiac output arising from oscillatory ventilation in humans 857

PIERRE K. *see* THEODOSIS D. T., PIERRE K. & POULAIN D. A. Differential expression of two adhesion molecules of the immunoglobulin superfamily, F3 and polysialylated NCAM, in hypothalamic magnocellular neurones capable of plasticity 187*S*

PIERZYNOWSKI S. G. *see* GACSALYI U., ZABIELSKI R. & PIERZYNOWSKI S. G. Telemetry facilitates long-term recording of gastrointestinal myoelectrical activity in pigs 239

PIERZYNOWSKI S. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

PIETRANGELO T. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

PIPER M. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

PITTMAN Q. J., HIRASAWA M., MOUGINOT D. & KOMBIAN S. B. Neurohypophysial peptides as retrograde transmitters in the supraoptic nucleus of the rat 139*S*

PLANAS J. M. *see* GARRIGA C., MORETÓ M. & PLANAS J. M. Effects of resalination on intestinal glucose transport in chickens adapted to low $Na^+$ intakes 371

POLITOWSKA E. *see* GIMPL G., BURGER K., POLITOWSKA E., CIARKOWSKI J. & FAHRENHOLZ F. Oxytocin receptors and cholesterol: interaction and regulation 41*S*

POULAIN D. A. *see* THEODOSIS D. T., PIERRE K. & POULAIN D. A. Differential expression of two adhesion molecules of the immunoglobulin superfamily, F3 and polysialylated NCAM, in hypothalamic magnocellular neurones capable of plasticity 187*S*

PRELLE K. *see* WOLF E., SCHERNTHANER W., ZAKHARTCHENKO V., PRELLE K., STOJKOVIC M. & BREM G. Transgenic technology in farm animals – progress and perspectives 615

PROCTOR G. B. *see* CARPENTER G. H., PROCTOR G. B., ANDERSON L. C., ZHANG X. S. & GARRETT J. R. Immunoglobulin A secretion into saliva during dual sympathetic and parasympathetic nerve stimulation of rat submandibular glands 281

PROCTOR, G. B., CARPENTER G. H., ANDERSON L. C. & GARRETT J. R. Nerve-evoked secretion of immunoglobulin A in relation to other proteins by parotid glands in anaesthetized rat 511

PULCINELLI F. M. *see* MARINO M., MELE R., SPAGNUOLO S., PULCINELLI F. M., MANGIANTINI M. T. & LEONI S. Epidermal growth factor regulates amino acid transport in chick embryo hepatocytes via protein kinase C 363

RABADAN-DIEHL C. *see* AGUILERA G. & RABADAN-DIEHL C. Regulation of vasopressin $V_{1b}$ receptors in the anterior pituitary gland of the rat 19*S*

RACANICCHI L. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243

RADEMAKER A. C. H. J. *see* ZOLADZ J. A., RADEMAKER A. C. H. J. & SARGEANT A. J. Human muscle power generating capability during cycling at different pedalling rates 117

RAEBER A. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

REINHOLD A.-C. *see* EKSTRÖM J., ENGDAHL HAVEL G. & REINHOLD A.-C. Parasympathetic non-adrenergic, non-cholinergic-induced protein synthesis and mitogenic activity in rat parotid glands 171

RENNER-MÜLLER I. *see* RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

RHEE J. C. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

RHEE P.-L. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

RICE C. L. *see* JAKOBI J. M., RICE C. L., CURTIN S. V. & MARSH G. D. Contractile properties, fatigue and recovery are not influenced by short-term creatine supplementation in human muscle 451

RISVANIS J. *see* BURRELL L. M., RISVANIS J., JOHNSTON C. I., NAITOH M. & BALDING L. C. Vasopressin receptor antagonism – a therapeutic option in heart failure and hypertension 259*S*

ROATTA S., RONCARI S., MICIELI G., BOSONE D. & PASSATORE M. Doppler sonography to monitor flow in different cerebral arteries in the rabbit 431

ROBBINS P. A. *see* CLAR C., DORRINGTON K. L., FATEMIAN M. & ROBBINS P. A. Cardiovascular effects of 8 h of isocapnic hypoxia with and without $\beta$-blockade in humans 557

ROBINSON J. S. *see* ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

ROMANIUK J. R. *see* DIMARCO A. F., ROMANIUK J. R., SUPINSKI G. & KOWALSKI K. E. Effects of lung volume on parasternal pressure-generating capacity in dogs 331

RONCARI S. *see* ROATTA S., RONCARI S., MICIELI G., BOSONE D. & PASSATORE M. Doppler sonography to monitor flow in different cerebral arteries in the rabbit 431

ROSSOUW H. C. *see* ALI A. M., ROSSOUW H. C., SILOVE M. & VAN DER WALT J. G. Development of an improved technique for the perfusion of the isolated caudal lobe of sheep liver 469

ROSTED A. *see* LORET S., BROLET P., PIERZYNOWSKI S., GOUDERS I., KLIMEK M., DANIELSON V., ROSTED A., LESNIEWSKA V. & DANDRIFOSSE G. Pancreatic exocrine secretions as a source of luminal polyamines in pigs 301

RUGGERI P. *see* NATALUCCI S., RUGGERI P., COGO C. E., PICCHIO V. & BURATTINI R. Insulin sensitivity and glucose effectiveness estimated by the minimal model technique in spontaneously hypertensive and normal rats 775

RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

RUSSELL J. A. *see* UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

RUSSELL J. A. & LENG G. *Veni, vidi, vici*: the neurohypophysis in the twentieth century 1*S*

RÜLICKE T. & HÜBSCHER U. Germ line transformation of mammals by pronuclear microinjection 589

RÜLICKE T. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

RÜLICKE T. *see* GASSMANN M., RÜLICKE T., LEDERMANN B. & BÜRKI K. Transgenesis at the Millennium 587

SABATIER N. *see* DAYANITHI G., SABATIER N. & WIDMER H. Intracellular calcium signalling in magnocellular neurones of the rat supraoptic nucleus: understanding the autoregulatory mechanisms 75*S*

SADOWSKI J. *see* DOBROWOLSKI L., BĄDZYŃSKA B. & SADOWSKI J. Differential effect of frusemide on renal medullary and cortical blood flow in the anaesthetised rat 783

SAFFAR J. L. *see* ADAM C., LLORENS A., BAROUKH B., CHERRUAU M. & SAFFAR J. L. Effects of capsaicin-induced sensory denervation on osteoclastic resorption in adult rats 61

SAGE S. O. *see* MARCHENKO S. M. & SAGE S. O. Effects of shear stress on $[Ca^{2+}]_i$ and membrane potential of vascular endothelium of intact rat blood vessels 43

SAGE S. O. *see* MARCHENKO S. M. & SAGE S. O. Hyperosmotic but not hyposmotic stress evokes a rise in cytosolic $Ca^{2+}$ concentration in endothelium of intact rat aorta 151

ST CROIX C. M. *see* CUNNINGHAM D. A., ST CROIX C. M., PATERSON D. H., ÖZYENER F. & WHIPP B. J. The off-transient pulmonary oxygen uptake ($\dot{V}_{O_2}$) kinetics following attainment of a particular $\dot{V}_{O_2}$ during heavy-intensity exercise in humans 339

SAITO T. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

SALM A. K. Mechanisms of glial retraction in the hypothalamo-neurohypophysial system of the rat 197*S*

SAMELMAN T. R. Heat shock protein expression is increased in cardiac and skeletal muscles of Fischer 344 rats after endurance training 97

SANIDAS D., GARNHAM A. & MIAN R. Activation of human leukocytes by acute hypoxia 263

SARGEANT A. J. *see* ZOLADZ J. A., RADEMAKER A. C. H. J. & SARGEANT A. J. Human muscle power generating capability during cycling at different pedalling rates 117

SCARPA R. M. *see* MANCINELLI R., USAI P., VARGIU R., DE LISA A., SCARPA R. M. & USAI E. Human ejaculatory duct: parameters of smooth muscle motor activity and modulatory role of autonomic drugs 465

SCHEID A., MEULI M., GASSMANN M. & WENGER R. H. Genetically modified mouse models in studies on cutaneous wound healing 687

SCHERNTHANER W. *see* WOLF E., SCHERNTHANER W., ZAKHARTCHENKO V., PRELLE K., STOJKOVIC M. & BREM G. Transgenic technology in farm animals – progress and perspectives 615

SCHULZ R. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

SCHWARZ P. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

SENER A. *see* SMITH F. G., BASATI R., SENER A. & ABU-AMARAH I. Renin and heart rate responses to haemorrhage are age dependent in conscious lambs 287

SERINO R. *see* UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

SETIADJI S. V. *see* SHIBUYA I., KABASHIMA N., IBRAHIM N., SETIADJI S. V., UETA Y. & YAMASHITA H. Pre- and postsynaptic modulation of the electrical activity of rat supraoptic neurones 145*S*

SHIBUYA I. *see* UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

SHIBUYA I., KABASHIMA N., IBRAHIM N., SETIADJI S. V., UETA Y. & YAMASHITA H. Pre- and postsynaptic modulation of the electrical activity of rat supraoptic neurones 145*S*

SHUI Z. & BOYETT M. R. A novel background potassium channel in rat atrial cells 355

SIDOROWICZ H. E. *see* SLADEK C. D., SWENSON K. L., KAPOOR R. & SIDOROWICZ H. E. The role of steroid hormones in the regulation of vasopressin and oxytocin release and mRNA expression in hypothalamo-neurohypophysial explants from the rat 171*S*

SIEGMUND B. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

SILOVE M. *see* ALI A. M., ROSSOUW H. C., SILOVE M. & VAN DER WALT J. G. Development of an improved technique for the perfusion of the isolated caudal lobe of sheep liver

469

SIMONETTA G. *see* ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

SKIPOR J. *see* STEFAŃCZYK-KRZYMOWSKA S., KRZYMOWSKI T., GRZEGORZEWSKI W., WĄSOWSKA B. & SKIPOR J. Humoral pathway for local transfer of the priming pheromone androstenol from the nasal cavity to the brain and hypophysis in anaesthetized gilts 801

SLADEK C. D., SWENSON K. L., KAPOOR R. & SIDOROWICZ H. E. The role of steroid hormones in the regulation of vasopressin and oxytocin release and mRNA expression in hypothalamo-neurohypophysial explants from the rat 171*S*

SMITH F. G. *see* PATEL A. & SMITH F. G. Renal haemodynamic effects of $B_2$ receptor agonist bradykinin and $B_2$ receptor antagonist HOE 140 in conscious lambs 811

SMITH F. G., BASATI R., SENER A. & ABU-AMARAH I. Renin and heart rate responses to haemorrhage are age dependent in conscious lambs 287

SO I. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

SOBREVIA L. *see* AGUAYO C. & SOBREVIA L. Nitric oxide, cGMP and cAMP modulate nitrobenzylthioinosine-sensitive adenosine transport in human umbilical artery smooth muscle cells from subjects with gestational diabetes 399

SOLER-SOLER J. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

SOLOFF M. S., JENG Y.-J., COPLAND J. A, STRAKOVA Z. & HOARE S. Signal pathways mediating oxytocin stimulation of prostaglandin synthesis in select target cells 51*S*

SONG Y. *see* VERKMAN A. S., YANG B., SONG Y., MANLEY G. T. & MA T. Role of water channels in fluid transport studied by phenotype analysis of aquaporin knockout mice 233*S*

SPAGNUOLO S. *see* MARINO M., MELE R., SPAGNUOLO S., PULCINELLI F. M., MANGIANTINI M. T. & LEONI S. Epidermal growth factor regulates amino acid transport in chick embryo hepatocytes via protein kinase C 363

STEFAŃCZYK-KRZYMOWSKA S., KRZYMOWSKI T., GRZEGORZEWSKI W., WĄSOWSKA B. & SKIPOR J. Humoral pathway for local transfer of the priming pheromone androstenol from the nasal cavity to the brain and hypophysis in anaesthetized gilts 801

STEYN C. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

STOEV S. *see* CHAN W. Y., WO N. C., STOEV S., CHENG L. L. & MANNING M. Discovery and design of novel and selective vasopressin and oxytocin agonists and antagonists: the role of bioassays 7*S*

STOJKOVIC M. *see* WOLF E., SCHERNTHANER W., ZAKHARTCHENKO V., PRELLE K., STOJKOVIC M. & BREM G. Transgenic technology in farm animals – progress and perspectives 615

STRAKOVA Z. *see* SOLOFF M. S., JENG Y.-J., COPLAND J. A, STRAKOVA Z. & HOARE S. Signal pathways mediating oxytocin stimulation of prostaglandin synthesis in select target cells 51*S*

STRATFORD L. L. *see* HAWKINS P., STEYN C., MCGARRIGLE H. H. G., SAITO T., OZAKI T., STRATFORD L. L., NOAKES D. E. & HANSON M. A. Effect of maternal nutrient restriction in early gestation on responses of the hypothalamic-pituitary-adrenal axis to acute isocapnic hypoxaemia in late gestation fetal sheep 85

SUGA S. *see* KAMIMURA N., SUGA S., NAKANO K., KANNO T., TAKEO T. & WAKUI M. Protein kinase C-dependent inhibition of $K^+$ currents in noradrenaline-induced depolarization of smooth muscle of guinea-pig vas deferens 37

SULEIMAN M.-S. *see* WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. Differences in the calcium-handling response of isolated rat and guinea-pig cardiomyocytes to metabolic inhibition: implications for cell damage 505

SUPINSKI G. *see* DIMARCO A. F., ROMANIUK J. R., SUPINSKI G. & KOWALSKI K. E. Effects of lung volume on parasternal pressure-generating capacity in dogs 331

SUTER U. *see* MANSUY I. M. & SUTER U. Mouse genetics in cell biology 661

SWENSON K. L. *see* SLADEK C. D., SWENSON K. L., KAPOOR R. & SIDOROWICZ H. E. The role of steroid hormones in the regulation of vasopressin and oxytocin release and mRNA expression in hypothalamo-neurohypophysial explants from the rat 171*S*

SYMONDS M. E. *see* GATE J. J., CLARKE L., BIRD J. A., LOMAX M. A. & SYMONDS M. E. Effect of feeding level and thyroxine on adipose tissue development and growth in postnatal lambs 439

TAKEMOTO Y. Possible contribution of central $\gamma$-aminobutyric acid receptors to resting vascular tone in freely moving rats 479

TAKEO T. *see* KAMIMURA N., SUGA S., NAKANO K., KANNO T., TAKEO T. & WAKUI M. Protein kinase C-dependent inhibition of $K^+$ currents in noradrenaline-induced depolarization of smooth muscle of guinea-pig vas deferens 37

TAYLOR P. M. *see* FOWDEN A. L., FORHEAD A. J., WHITE K. L. & TAYLOR P. M. Equine uteroplacental metabolism at mid- and late gestation 539

TERRAR D. A. *see* LEI M., BROWN H. F. & TERRAR D. A. Modulation of delayed rectifier potassium current, $i_K$, by isoprenaline in rabbit isolated pacemaker cells 27

THEODOSIS D. T., PIERRE K. & POULAIN D. A. Differential expression of two adhesion molecules of the immunoglobulin superfamily, F3 and polysialylated NCAM, in hypothalamic magnocellular neurones capable of plasticity 187*S*

THORN P. *see* CAREW M. A. & THORN P. Carbachol-stimulated chloride secretion in mouse colon: evidence of a role for autocrine prostaglandin $E_2$ release 67

TOST H., HABLY C., LENGYEL M., GÓGL A., LENDVAI A. & BARTHA J. Effect of nitric oxide synthase inhibition on renal circulation and excretory function in anaesthetized rats 791

TOUSSEUL B. *see* HAOUZI P., ALLIOUI E. M., GILLE J. P., BEDEZ Y., TOUSSEUL B. & CHALON B. Stimulation of ventilation by normobaric hyperoxia in exercising dogs 829

TRINH-TRANG-TAN M.-M. *see* BANKIR L. & TRINH-TRANG-TAN M.-M. Renal urea transporters. Direct and indirect regulation by vasopressin 243*S*

TRITTO F. P. *see* RUIZ-MEANA M., GARCIA-DORADO D., JULIÁ M., INSERTE J., SIEGMUND B., LADILOV Y., PIPER M., TRITTO F. P., GONZÁLEZ M. A. & SOLER-SOLER J. Protective effect of HOE642, a selective blocker of $Na^+$–$H^+$ exchange, against the development of rigor contracture in rat ventricular myocytes 17

TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. Carbohydrate ingestion prior to exercise augments the exercise-induced activation of the pyruvate dehydrogenase complex in human skeletal muscle 581

TSUTSUI I. *see* KATO K., FURUYA K., TSUTSUI I., OSAKI T. & YAMAGISHI S. Cyclic AMP-mediated inhibition of noradrenaline-induced contraction and $Ca^{2+}$ influx in guinea-pig vas deferens 387

UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

UETA Y. *see* SHIBUYA I., KABASHIMA N., IBRAHIM N., SETIADJI S. V., UETA Y. & YAMASHITA H. Pre- and postsynaptic modulation of the electrical activity of rat supraoptic neurones 145*S*

UHM D.-Y. *see* KIM C. H., RHEE P.-L., RHEE J. C., KIM Y.-I., SO I., KIM K. W., PARK M. K., UHM D.-Y. & KANG T. M. Hypotonic swelling increases L-type calcium current in smooth muscle cells of the human stomach 497

USAI E. *see* MANCINELLI R., USAI P., VARGIU R., DE LISA A., SCARPA R. M. & USAI E. Human ejaculatory duct: parameters of smooth muscle motor activity and modulatory role of autonomic drugs 465

USAI P. *see* MANCINELLI R., USAI P., VARGIU R., DE LISA A., SCARPA R. M. & USAI E. Human ejaculatory duct: parameters of smooth muscle motor activity and modulatory role of autonomic drugs 465

VACCA G. *see* MOLINARI C., BATTAGLIA A., BONA G., GROSSINI E., MARY D. A. S. G. & VACCA G. The role of nitric oxide in the coronary vasoconstriction caused by growth hormone in anaesthetized pigs 203

VAGHEFI N., NEDJAOUM F., GUILLOCHON D., BUREAU F., ARHAN P. & BOUGLÉ D. Influence of the extent of haemoglobin hydrolysis on the digestive absorption of haem iron in the rat. An *in vitro* study 379

VAN DEN BROEK M. F. & HENGARTNER H. The role of perforin in infections and tumour surveillance 681

VAN DER WALT J. G. *see* ALI A. M., ROSSOUW H. C., SILOVE M. & VAN DER WALT J. G. Development of an improved technique for the perfusion of the isolated caudal lobe of sheep liver 469

VAN VLIET B. *see* MONTANI J.-P. & VAN VLIET B. *The Cardiovascular System at a Glance*, edited by P. I. Aaroson and J. P. T. Ward 887

VARGIU R. *see* MANCINELLI R., USAI P., VARGIU R., DE LISA A., SCARPA R. M. & USAI E. Human ejaculatory duct: parameters of smooth muscle motor activity and modulatory role of autonomic drugs 465

VERKMAN A. S., YANG B., SONG Y., MANLEY G. T. & MA T. Role of water channels in fluid transport studied by phenotype analysis of aquaporin knockout mice 233*S*

VIHKO V. *see* HAVAS E., LEHTONEN M., VUORELA J., PARVIAINEN T. & VIHKO V. Albumin clearance from human skeletal muscle during prolonged steady-state running 863

VOVK A., DUFFIN J., KOWALCHUK J. M., PATERSON D. H. & CUNNINGHAM D. A. Changes in chemoreflex characteristics following acute carbonic anhydrase inhibition in humans at rest 847

VUJICIC Z. *see* CERMAK R., VUJICIC Z., KUHN G. & WOLFFRAM S. The secretory response of the rat colon to the flavonol quercetin is dependent on $Ca^{2+}$-calmodulin 255

VUORELA J. *see* HAVAS E., LEHTONEN M., VUORELA J., PARVIAINEN T. & VIHKO V. Albumin clearance from human skeletal muscle during prolonged steady-state running 863

VYBÍRAL S., LESNÁ I., JANSKÝ L. & ZEMAN V. Thermoregulation in winter swimmers and physiological significance of human catecholamine thermogenesis 321

VYSKOČIL F. *see* BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. Erratum: Experimental Physiology (2000) 85, 125–131. 353

VYSKOČIL F. *see* BUKHARAEVA E., IPATOVA T., NIKOLSKY E. E. & VYSKOČIL F. The effect of carbachol and α-bungarotoxin on the frequency of miniature endplate potentials at the frog neuromuscular junction 125

WAKUI M. *see* KAMIMURA N., SUGA S., NAKANO K., KANNO T., TAKEO T. & WAKUI M. Protein kinase C-dependent inhibition of $K^+$ currents in noradrenaline-induced depolarization of smooth muscle of guinea-pig vas deferens 37

WALLER S. *see* MURPHY D., XU J. & WALLER S. Transgenic studies in rats and mice on the osmotic regulation of vasopressin gene expression 211*S*

WALZ M. K. *see* BEHRENDS M., WALZ M. K., KRIBBEN A., NEUMANN T., HELMCHEN U., PHILIPP T., SCHULZ R. & HEUSCH G. No protection of the porcine kidney by ischaemic preconditioning 819

WAN X., BRYANT S. M. & HART G. The effects of $[K^+]_o$ on regional differences in electrical characteristics of ventricular myocytes in guinea-pig 769

WANG G. *see* LEMOS J. R. & WANG G. Excitatory *versus* inhibitory modulation by ATP of neurohypophysial terminal activity in the rat 67*S*

WANG H. *see* MORRIS J. F., CHRISTIAN H., MA D. & WANG H. Dendritic secretion of peptides from hypothalamic magnocellular neurosecretory neurones: a local dynamic control system and its functions 131*S*

WEISSMANN C. *see* BRANDNER S., KLEIN M. A., FRIGG R., PEKARIK V., PARIZEK P., RAEBER A., GLATZEL M., SCHWARZ P., RÜLICKE T., WEISSMANN C. & AGUZZI A. Neuroinvasion of prions: insights from mouse models 705

WELLS S. *see* WONG L.-F., WELLS S. & MURPHY D. Gene transfer strategies for the physiologist 735

WENGER R. H. *see* SCHEID A., MEULI M., GASSMANN M. & WENGER R. H. Genetically modified mouse models in studies on cutaneous wound healing 687

WHIPP B. J. *see* CUNNINGHAM D. A., ST CROIX C. M., PATERSON D. H., ÖZYENER F. & WHIPP B. J. The off-transient pulmonary oxygen uptake ($\dot{V}_{O_2}$) kinetics following attainment of a particular $\dot{V}_{O_2}$ during heavy-intensity exercise in humans 339

WHITE E. *see* HONGO K., BRETTE F., HAROON M. M. & WHITE E. Mechanisms associated with the negative inotropic effect of deuterium oxide in single rat ventricular myocytes 133

WHITE K. L. *see* FOWDEN A. L., FORHEAD A. J., WHITE K. L. & TAYLOR P. M. Equine uteroplacental metabolism at mid- and late gestation 539

WIDMER H. *see* DAYANITHI G., SABATIER N. & WIDMER H. Intracellular calcium signalling in magnocellular neurones of the rat supraoptic nucleus: understanding the autoregulatory mechanisms 75*S*

WILLIAMS C. *see* TSINTZAS K., WILLIAMS C., CONSTANTIN-TEODOSIU D., HULTMAN E., BOOBIS L. & GREENHAFF P. Carbohydrate ingestion prior to exercise augments the exercise-induced activation of the pyruvate dehydrogenase complex in human skeletal muscle 581

WILLIAMS H., KERR P. M., SULEIMAN M.-S. & GRIFFITHS E. J. Differences in the calcium-handling response of isolated rat and guinea-pig cardiomyocytes to metabolic inhibition: implications for cell damage 505

WILLIAMS P. E. *see* COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

WINTER E. M. *see* JOHNSON P. J., WINTER E. M., PATERSON D. H., KOVAL J. J., NEVILL A. M. & CUNNINGHAM D. A. Modelling the influence of age, body size and sex on maximum oxygen uptake in older humans 219

WINTER E. M. *see* AMARA C. E., KOVAL J. J., JOHNSON P. J., PATERSON D. H., WINTER E. M. & CUNNINGHAM D. A. Modelling the influence of fat-free mass and physical activity on the decline in maximal oxygen uptake with age in older humans 877

WO N. C. *see* CHAN W. Y., WO N. C., STOEV S., CHENG L. L. & MANNING M. Discovery and design of novel and selective vasopressin and oxytocin agonists and antagonists: the role of bioassays 7*S*

WOLEDGE R. C. *see* BROCKBANK C. L., CHATTERJEE F., BRUCE S. A. & WOLEDGE R. C. Heart rate and its variability change after the menopause 327

WOLF E. *see* RATHKOLB B., FUCHS E., KOLB H. J., RENNER-MÜLLER I., KREBS O., BALLING R., HRABÉ DE ANGELIS M. & WOLF E. Large-scale *N*-ethyl-*N*-nitrosourea mutagenesis of mice – from phenotypes to genes 635

WOLF E., SCHERNTHANER W., ZAKHARTCHENKO V., PRELLE K., STOJKOVIC M. & BREM G. Transgenic technology in farm animals – progress and perspectives 615

WOLFER D. P. & LIPP H.-P. Dissecting the behaviour of transgenic mice: is it the mutation, the genetic background, or the environment? 627

WOLFFRAM S. *see* CERMAK R., VUJICIC Z., KUHN G. & WOLFFRAM S. The secretory response of the rat colon to the flavonol quercetin is dependent on $Ca^{2+}$–calmodulin 255

WONG L.-F., WELLS S. & MURPHY D. Gene transfer strategies for the physiologist 735

WOTJAK C. T. *see* ENGELMANN M., WOTJAK C. T., EBNER K. & LANDGRAF R. Behavioural impact of intraseptally released vasopressin and oxytocin in rats 125*S*

WRIGHT H. *see* COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

WU J. J. *see* ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

WĄSOWSKA B. *see* STEFAŃCZYK-KRZYMOWSKA S., KRZYMOWSKI T., GRZEGORZEWSKI W., WĄSOWSKA B. & SKIPOR J. Humoral pathway for local transfer of the priming pheromone androstenol from the nasal cavity to the brain and hypophysis in anaesthetized gilts 801

XU J. *see* MURPHY D., XU J. & WALLER S. Transgenic studies in rats and mice on the osmotic regulation of vasopressin gene expression 211*S*

YAMAGISHI S. *see* KATO K., FURUYA K., TSUTSUI I., OSAKI T. & YAMAGISHI S. Cyclic AMP-mediated inhibition of noradrenaline-induced contraction and $Ca^{2+}$ influx in guinea-pig vas deferens 387

YAMASHITA H. *see* UETA Y., SERINO R., SHIBUYA I., KITAMURA K., KANGAWA K., RUSSELL J. A. & YAMASHITA H. A physiological role for adrenomedullin in rats; a potent hypotensive peptide in the hypothalamo-neurohypophysial system 163*S*

YAMASHITA H. *see* SHIBUYA I., KABASHIMA N., IBRAHIM N., SETIADJI S. V., UETA Y. & YAMASHITA H. Pre- and postsynaptic modulation of the electrical activity of rat supraoptic neurones 145*S*

YANG B. *see* VERKMAN A. S., YANG B., SONG Y., MANLEY G. T. & MA T. Role of water channels in fluid transport studied by phenotype analysis of aquaporin knockout mice 233*S*

YOSHIDA H. *see* NAKAHARI T., ITO S., YOSHIDA H., FURUYA E. & IMAI Y. Accumulation of cAMP evoked by acetylcholine stimulation in rat submandibular acinar cells: observation of exocytosis, fluid secretion and $[Ca^{2+}]_i$ 159

YOUM J. B., HO W.-K. & EARM Y. E. Permeability characteristics of monovalent cations in atrial myocytes of the rat heart 143

YOUNG I. S. *see* COX V. M., WILLIAMS P. E., WRIGHT H., JAMES R. S., GILLOTT K. L., YOUNG I. S. & GOLDSPINK D. F. Growth induced by incremental static stretch in adult rabbit latissimus dorsi muscle 193

ZABIELSKI R. *see* GACSALYI U., ZABIELSKI R. & PIERZYNOWSKI S. G. Telemetry facilitates long-term recording of gastrointestinal myoelectrical activity in pigs 239

ZAKHARTCHENKO V. *see* WOLF E., SCHERNTHANER W., ZAKHARTCHENKO V., PRELLE K., STOJKOVIC M. & BREM G. Transgenic technology in farm animals – progress and perspectives 615

ZEMAN V. *see* VYBÍRAL S., LESNÁ I., JANSKÝ L. & ZEMAN V. Thermoregulation in winter swimmers and physiological significance of human catecholamine thermogenesis 321

ZHANG D. Y., LUMBERS E. R., SIMONETTA G., WU J. J., OWENS J. A., ROBINSON J. S. & MCMILLEN I. C. Effects of placental insufficiency on the ovine fetal renin–angiotensin system 79

ZHANG X. S. *see* CARPENTER G. H., PROCTOR G. B., ANDERSON L. C., ZHANG X. S. & GARRETT J. R. Immunoglobulin A secretion into saliva during dual sympathetic and parasympathetic nerve stimulation of rat submandibular glands 281

ZHOU Y. & FORSLING M. L. Effect of reproductive status on plasma oxytocin concentrations and the renal response to oxytocin in the conscious rat 73

ZIEGLER U. *see* DESBAILLETS I., ZIEGLER U., GROSCURTH P. & GASSMANN M. Embryoid bodies: an *in vitro* model of mouse embryogenesis 645

ZINKERNAGEL R. M. *see* LUDEWIG B., ZINKERNAGEL R. M. & HENGARTNER H. Transgenic animal models for virus-induced autoimmune diseases 653

ZOLADZ J. A., RADEMAKER A. C. H. J. & SARGEANT A. J. Human muscle power generating capability during cycling at different pedalling rates 117

ZOLLMANN F. S. *see* BADER M., BOHNEMEIER H., ZOLLMANN F. S., LOCKLEY-JONES O. E. & GANTEN D. Transgenic animals in cardiovascular disease research 713

ZUCCONI-GRASSI G. *see* FULLE S., PIETRANGELO T., MARIGGIÒ M. A., LORENZON P., RACANICCHI L., MOZRZYMAS J., GUARNIERI S., ZUCCONI-GRASSI G. & FANÒ G. Calcium and Fos involvement in brain-derived $Ca^{2+}$-binding protein (S100)-dependent apoptosis in rat phaeochromocytoma cells 243